

Updated Search Query Case No. 10/644,029

251	(359/814).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2497	(369/44.19,44.21,44.32).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2731	((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	((((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	((((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2 and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	(((((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2 and coil\$1) and (second with coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	(((((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2 and coil\$1) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	(((((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2 and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1105	magnet\$1 and shaft\$1 and lens\$2 and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	magnet\$1 and (shaft near lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1068	magnet\$1 and (shaft and lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
498	magnet\$1 and (shaft with lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

349	(magnet\$1 with lens\$2) and (shaft with lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	(magnet\$1 with lens\$2) and (shaft with lens\$2) and (coil\$1 with first with second with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
137	(magnet\$1 with lens\$2) and (shaft with lens\$2) and (coil\$1 with (first or second) with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	((magnet\$1 with lens\$2) and (shaft with lens\$2) and (coil\$1 with (first or second) with (focus\$3 or track\$3))) not (((359/814).CCLS.) or ((369/44.19,44.21,44.32).CCLS.)) and magnet\$1 and shaft\$1 and lens\$2 and (coil\$1 with (focus\$3 or track\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55556	objective adj lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55662	(objective adj lens) magnet\$1 and (shaft with lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
392	(objective adj lens) and magnet\$1 and (shaft with lens\$2) and (coil\$1 with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	(objective adj lens) and (magnet\$1 with lens\$2) and (shaft with lens\$2) and (coil\$1 with first with second with (focus\$3 or track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	(fiber\$ with doped) and (pump\$ with source) and (correct\$3 with (frequencies or frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	(fiber\$1 with doped) and (pump\$3 with source) and (correct\$3 with (frequencies or frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	(fiber\$1 with doped) and (pump\$3 with source) and (correct\$3 with (frequencies or frequency) with pump\$3 with power\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	(fiber\$1 with doped) and (pump\$3 with source) and (correct\$3 with (frequencies or frequency) with pump\$3 with (power or energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	(fiber\$1 with doped) and (pump\$3 with source) and (correct\$3 with (frequencies or frequency or wavelength\$1) with pump\$3 with (power or energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

8	(fiber\$1 with doped) and (pump\$3 with source) and (correct\$3 with (frequencies or frequency or wavelength\$1) with pump\$3 with (power or energy or intensit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	(fiber\$1 with doped) and (pump\$3 with source) and ((correct\$3 or adjust\$3) with (frequencies or frequency or wavelength\$1) with pump\$3 with (power or energy or intensit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3094	(385/123,140,42).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
1169	(372/6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
221	(359/341.4,341.41,341.42).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4360	((385/123,140,42).CCLS.) or ((372/6).CCLS.) or ((359/341.4,341.41,341.42).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	((((385/123,140,42).CCLS.) or ((372/6).CCLS.) or ((359/341.4,341.41,341.42).CCLS.)) and (correct\$3 with (frequencies or frequency or wavelength\$1) with pump\$3 with (power or energy or intensit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	(fiber\$1 with doped) and ((correct\$3 or adjust\$3) with (gain adj slope))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	(fiber\$1 with doped) and ((correct\$3 or adjust\$3) with (gain adj slope))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	("5808785").PN.	USPAT; USOCR
1	("5818629").PN.	USPAT; USOCR
1	("5995275").PN.	USPAT; USOCR
677	gain adj equalizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	(gain adj equalizer) and (correct\$3 with (frequency or frequencies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	(gain adj equalizer) and (correct\$3 with (frequency or frequencies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

1088	(359/813,814,824).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5019	(369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5859	((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2510	((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lenses)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2528	((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
312	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and shaft\$1 and magnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
295	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and shaft\$1 and magnet\$1) and coil\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and shaft\$1 and magnet\$1) and (coil with first) and (coil with second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
454	(objective adj lens) and shaft and magnet\$1 and (coil with focus\$3) and (coil with track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
286	(objective adj lens) and shaft and yoke\$1 and magnet\$1 and (coil with focus\$3) and (coil with track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	(objective adj lens) and (lens adj holder) and shaft and yoke\$1 and magnet\$1 and (coil with focus\$3) and (coil with track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	(objective adj lens) and (lens adj holder) and shaft and (magnetic adj yokes) and magnet\$1 and (coil\$1 with focus\$3) and (coil\$1 with track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

9	(objective adj lens) and (lens adj holder) and shaft and (magnetic adj yokes) and magnet\$1 and (coil with focus\$3) and (coil with track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	("5513047").PN.	USPAT; USOCR
40	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and shaft\$1 and magnet\$1) and (coil with first with track\$3) and (coil with first with focus\$3) and (coil with second with track\$3) and (coil with second with focus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and shaft\$1 and magnet\$1) and (first adj track\$3 adj coil) and (first adj focus\$3 adj coil) and (second adj track\$3 adj coil) and (second adj focus\$3 adj coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
0	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and (shaft with holder) and magnet\$1) and (second adj focus\$3 adj coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	(((((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lens\$2)) and (shaft with holder) and magnet\$1) and (coil with first with track\$3) and (coil with first with focus\$3) and (coil with second with track\$3) and (coil with second with focus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	(objective adj lens\$2) and (shaft with holder) and magnet\$1 and (coil with first with track\$3) and (coil with first with focus\$3) and (coil with second with track\$3) and (coil with second with focus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	(objective adj lens\$2) and shaft and magnet\$1 and (coil with first with track\$3) and (coil with first with focus\$3) and (coil with second with track\$3) and (coil with second with focus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	(objective adj lens\$2) and (shaft with (lens or holder)) and magnet\$1 and (coil with first with track\$3) and (coil with first with focus\$3) and (coil with second with track\$3) and (coil with second with focus\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	("6687062").PN.	USPAT; USOCR
1	("6687062").PN.) and yoke\$1	USPAT
1	("5513047").PN.	USPAT; USOCR
1	("5513047").PN.) and (actuator with base with magnet\$5)	USPAT
1	("6418094").PN.	USPAT; USOCR
1	("6418094").PN.) and ((outer adj yoke\$1) with magnet\$3)	USPAT
1	("6418094").PN.) and (outer adj yoke\$1)	USPAT
1	20030090816	US-PGPUB
0	20030090816 and (supporting with member with magnetic with material)	US-PGPUB
0	20030090816 and (supporting with member with magnetic)	US-PGPUB
1	20030090816 and (yoke\$1 with magnetic)	US-PGPUB
35601	yoke\$1 with magnetic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

6854	yoke\$1 with (magnetic with material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6137	((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	(yoke\$1 with (magnetic with material)) and (((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4568	yoke\$1 with (magnetic adj material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.) ) and (yoke\$1 with (magnetic adj material))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	("6687062").PN.	USPAT
0	S80 and (supporting with adjust\$3 with holder\$1 with perpendicular)	USPAT
0	S80 and (supporting with adjust\$3 with holder\$1)	USPAT
0	S80 and (position with support\$3 with adjust\$3)	USPAT
1	S80 and (position with adjust\$3)	USPAT
0	S80 and (position with fix\$2)	USPAT
1	S80 and (fix\$2)	USPAT
135	((359/813,814,824).CCLS.) or ((369/44.14,44.15,44.16,44.19,44.21,44.32).CCLS.)) and (objective adj lenses)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB